INFINIA AT ALTA 4035 SOUTH 500 EAST SALT LAKE CITY UT 84107 STATE'S REGION CODE: 001

PROVIDER #: 465100 FACILITY BEDS
PHONE NUMBER: (801) 262-9181

PARTICIPATION DATE: 08/01/1985 CERTIFIED: 99

TYPE ACTION: RECERTIFICATION
TOTAL: 99
TYPE OWNERSHIP: FOR PROFIT - CORPORATION

COMPLIANCE STATUS: FACILITY MEETS REQUIREMENTS BASED ON AN ACCEPTABLE PLAN OF CORRECTION

RESIDENT CENSUS ON 04/11/2002						LTC ADMISSION/SUSPENSION DATES				TOTAL CERTIFIED BEDS: 99						
TOTAL: 71 MEDICARE: 4 MEDICAID: 65 OTHER: 2			71 4 65	-	ADMISSI	ADMISSION SUSPENDED: SUSPENSION RESCINDED:				18 	18/19 99	19 	ICF/MR			
CURRENT	SURVE	Y REVIS	IT DATE	s - 06/03	/2002											
PRIOR 3 SURVEY 10/1998		PRIOR SURVEY 12/199	CODE	PRIOR 1 SURVEY 03/2001			CODE	PLAN/DATE OF CORRECT		P!	ROGRAM REQU	JIREMENTS				
X X	D D	X X	D E	Х	F	ХС	E	06/01/2002	REQ REQ REQ	F0157-INFORM OF ACCIDENTS/SIG CHANGES/TRANSFER/ETC F0164-PERSONAL PRIVACY/CONFIDENTIALITY OF RECORDS F0241-DIGNITY F0253-HOUSEKEEPING & MAINTENANCE SERVICES F0276-OUARTERLY REVIEW OF ASSESSMENTS						
7.	D	X X	D D	Х	D	ХС	В	06/01/2002	REQ REQ REQ	F0281-SERVICES PROVIDED MEET PROFESSIONAL ST. F0282-SERVS BY QUALIFIED PERSONS IN ACCORD W F0287-RESIDENT ASSESSMENT AUTOMATED DATA PROF0309-PROVIDE NECESS CARE FOR HIGHEST PRAC W				W/ CARE PLAN OCESSING		
X	В	Х	G E	X X	D D	X C X C	G D	06/01/2002 06/01/2002	REQ REQ REQ	F0314- F0318- F0329-	F0314-PROPER TREATMENT TO PREVENT/HEAL PRESSURE F0318-RANGE OF MOTION TREATMENT & SERVICES F0329-DRUG REGIMEN IS FREE FROM UNNECESSARY DRUG			SURE SORES DRUGS		
		X X X	E E D						REQ REQ REQ	F0363-MENUS MEET NUTRIT NEEDS/PREP IN ADVANCE/F0 F0364-F00D PROPERLY PREPARED, PALATABLE, ETC. F0365-F00D IS PREPARED TO MEET INDIVIDUAL NEEDS F0367-THERAPEUTIC DIET PRESCRIBED BY PHYSICIAN				C. EEDS IAN		
X X	B E	X X X	F E D	Х	E				REQ REQ REQ	F0368-FREQUENCY OF MEALS/INTERVALS BETWEEN MEALS F0371-STORE/PREPARE/DISTRIB FOOD UNDER SANITARY CONDS F0426-FACILITY PROVIDES PHARMACEUTICAL SERVICES F0463-RESIDENT CALL SYSTEM						
		X	F E	X X	F D				REQ REQ	F0490-	FACIL ADMIN COMPLIANCE	NISTERED I	EFFECTI ERAL/ST	VELY TO OBT	RY/COMFORTAB AIN HIGHEST AWS/PROF STD ANDARDS	
	r 85 E	XIST 85	EXIST	X 85 EXIST	F				REQ	F0521-0	QA COMMITTE	EE MEETS (QTRLY/D	EVELOPS/IMP	LEMENTS PLAN	
SURVEY	IOR 3 PRIOR 2 PRIOR 1 RVEY SURVEY SURVEY /1998 11/1999 02/2001			SURVEY	OF (LAN/DATE CORRECTION		LS	LSC DEFICIENCIES - BLDG NO				. 01			
X X	X			X C X C	0.6	5/01/2002 5/01/2002	K0	K0018-CORRIDOR DOORS K0046-EMERGENCY LIGHTING K0050-FIRE DRILLS K0051-FIRE ALARM SYSTEM								
X X X	X X X X X		X	X N				K0 K0 K0	056-AU 061-MA 062-SI 064-PO	JTOMATIC SPRINKLER SYSTEM AIN SPRINKLER CONTROL PRINKLER SYSTEM MAINTENANCE DRIABLE FIRE EXTINGUISHERS 40KING REGULATIONS						
Α	X X X		Х	ХС	0 €	5/01/2002		K0	070-SI	ACE HEATERS DICAL GAS SYSTEM						
DEFICIENCY SU					JRRENT JRVEY	RVEY SURVEY SU			RIOR 2 PRIOR 3							
CONDITION REQUIREMENT HEALTH TOTAL LIFE SAFETY CODE LIFE SAFETY CODE + HEALTH					0 4 4 4 8	0 0 4 8 8 4 8 6			0 14 14 7 21	0 0 4 5 4 5 7 6						

COMPLAINT SURVEY INFORMATION

SURVEY DATE	STATUS
06/01/2000	UNSUBSTANTIATED
08/15/2000	UNSUBSTANTIATED
03/20/2001	SUBSTANTIATED
06/26/2002	UNSUBSTANTIATED

FMS SURVEY INFORMATION

* NO FMS SURVEYS FOR THIS FACILITY

C=DATE OF CORRECTION N=NO DATE GIVEN COP = CONDITION REQ = REQUIREMENT P=PLAN OF CORRECTION R=REFUSED TO CORRECT W=WAIVED F=FSES X=DEFICIENT